

# TVK-600

## TruVision RS485/IP keypad, 4-axis joystick, 12VDC

### Overview

---

The TVK-600 keypad has been designed to be used with the line of TruVision NVRs, DVRs, PTZ cameras, encoders and decoders. A TVK-600 lets you easily control the monitor outputs of a recorder and a decoder, allows precise PTZ control, and gives you full control of every recorder's user interface using only the keypad.

### Full featured

---

The TVK-600 contains all features to control a TruVision device efficiently.

The keypad can communicate via IP or RS485 with supported recorders and cameras.

The configuration of the keypad is done via a web browser.

Different user modes can be selected via the on-screen menu of the LCD display.

The keypad supports up to 1000 devices via keyboard mode.

Users can navigate through the menu of a recorder and control PTZ cameras via the 4-axis joystick.

### Why TVK-600?

---

The TVK-600 lets you control your video system via one user interface without using a PC.

### Applications

---

The TVK-600 is ideal for guard rooms and monitoring centers.



### Details

---

- Control a variety of NVRs, DVRs, decoders, PTZ cameras with one keypad
- Communication via IP or RS485
- 4-axis joystick
- Numeric and functional buttons
- Supports PTZ control (analog and IP)
- Control monitor outputs of recorders
- Supports up to 1000 devices via keyboard mode
- Configuration and device management via webpage
- Control the recorder OSD
- Set and call presets and preset tours of PTZ cameras

# TVK-600

## TruVision RS485/IP keypad, 4-axis joystick, 12VDC

### Technical specifications

---

#### General

Keyboard / controller type	Analog / Serial, IP
----------------------------	---------------------

---

#### Control

Joystick type	4-axis
Buttons	Numeric and functional

---

#### User interface

Display type	128x64 pixel screen
--------------	---------------------

---

#### Interfaces

Connection interface	Ethernet, RS-485
Network interface	10 / 100 Mbps self-adaptive Ethernet interface
USB	USB 2.0

---

#### Physical

Physical dimensions	435 x 193 x 110 mm
Net weight	1 kg
Colour	Black

---

#### Environmental

Operating temperature	-10 to +55°C
Relative humidity	10 to 90%

---

#### Electrical

Power supply type	12 VDC
Power supply value	12 V
Power consumption	<= 4.5 W

---

#### Standards & regulation

Compliance	CE, RoHS, WEEE
------------	----------------

---

### Supported products

---

Devices:	TruVision PTZ cameras: TruVision S1 PTZ cameras (TVP-310x / 110x / 3122 / 1122) TruVision IP Compact PTZ cameras TruVision IP Full Size PTZ cameras TruVision Stainless Steel IP PTZ cameras TruVision TVI PTZ cameras
----------	---

#### TruVision recorders:

TVN 11 series  
TVN 21 series  
TVN 22 series  
TVR 15HD series  
TVR 45HD series  
TVR 46 series  
TVR 40 series  
TVR 41 series  
TVR 42 series  
TVR 60 series

#### TruVision decoders:

TVE-DEC11  
TVE-DEC12

TruVision encoders and non-PTZ IP cameras:  
only as input.

See configuration manual (Appendix A) for more detailed information.

---

